
## FLUID INJECTION TRIGGERING OF THE 2011 EARTHQUAKE SEQUENCE IN OKLAHOMA

Katie Keranen, University of Oklahoma Heather Savage, Lamont-Doherty Earth Observatory Geoff Abers, Lamont-Doherty Earth Observatory Elizabeth Cochran, United States Geological Survey

Photos by K. Keranen, The Oklahoman (http://newsok.com/record-5.6-magnitude-earthquake-shakes-oklahoma/article/3620706), and B. Sherrod



#### Mw 5.7 Nov. 6, 2011













Photos by K. Keranen, The Oklahoman (http://newsok.com/record-5.6-magnitude-earthquake-shakes-oklahoma/article/3620706), and B. Sherrod


### Earthquakes in Oklahoma 1977-2009



#### Earthquakes in Oklahoma 2010-2011




## Thousands of active wastewater injection wells




## Large earthquakes have historically occurred within Oklahoma

Meers Fault – ~M7.0 1200 ybp




1952 M5.5 El Reno earthquake




Stover and Coffman, 1993


## Was this earthquake sequence tectonic or induced?








### Rapidly deployed array: OU, RAMP, USGS, NetQuakes






#### A prolific sequence of earthquakes



Average of nearly 300 located earthquakes/hour


# Shallow seismic velocity: Subsurface stratigraphy is constrained by hundreds of well penetrations (figure shows a small subset)



#### **EYSTEM** HUNDON 뷿 MIN. II DRIDOVICIAN WHITE BOLD ARBUCKLE 8000 PRE MERIA PRE-PENNSYLVANIAN STRATIGRAPHY


#### Strat column modified from Bauernfeind, 1982

### Sedimentary units and injection within the Wilzetta field





#### ID velocity inversion:


Constrained by sonic logs (Vp only) and known formation boundaries





Vp, Vs, and Vp/Vs ratio from inversion fall inside bounds from lab measurements on Oklahoma carbonates













## 95% of hypocenters above 6 km 30% of hypocenters in sedimentary units




## Observations from the earthquake sequence

- Three narrow, nearvertical fault planes
- Northern tip of first event begins at injection depths within 100 meters of two injection wells
- Aftershocks from the first event propagate south and deepen away from the well



### Fundamental observation: Compelling link between zone of injection and seismicity pattern



## Does this meet the criteria for induced seismicity?


- 1. Deviation from background seismicity
- 2. Spatial correlation of seismicity with injection wells
- 3. Seismicity within the depth intervals of fluid injection
- 4. Temporal correlation to injection practices (injection pressure, injection rate)
- 5. Increased fluid pressure in the subsurface beyond a critical threshold









Is there a temporal relationship observed between fluid injection (pressure, rate) and seismicity rate near Prague?




# Seismicity spiked at Rangely when pressure surpassed critical threshold




# Seismicity in phase with injected volume at the Rocky Mountain Arsenal




# Seismicity continued for years following the end of injection at the RMA







Faults create reservoir compartments

There appears to be limited fluid communication across faults





# Effects of lateral boundaries on reservoir pressure






### Volume roughly constant on a monthly basis Pressure was increased in steps






#### Summary of earthquake sequence

- I. Compelling link between zone of injection and seismicity pattern
- 2. Injection occurs into small faulted compartments





#### Broader implications

- ➤ Oklahoma sequence suggests that a long temporal delay (10-20 years) is possible
  - Permeability barriers can delay pressure relaxation;
     cause a gradual increase in pore pressure
- We do not always expect a correlation between short-term fluctuations in wellhead injection data and seismicity
- > Significant tectonic stress released
  - The volume of fluid injected near Prague is orders of magnitude below that predicted for the M5.0 event



# What about the criteria for induced seismicity?

- 1. Deviation from background seismicity
- 2. Spatial correlation of seismicity with injection wells
- 3. Seismicity within the depth intervals of fluid injection
- 4. Temporal correlation to injection practices (injection pressure, injection rate)
- 5. Increased fluid pressure in the subsurface beyond a critical threshold

#### **ACKNOWLEDGEMENTS**

Caitlin Dieck (LDEO), Khanh Pham (OU), and Gabriel Mattei (OU) Danielle Sumy (USGS-Pasadena)

Special thanks to all those who helped with field deployment (OU, OGS, OSU, USGS) and the PASSCAL staff for RAMP equipment and frequent discussion

The Oklahoma Corporation Commission, for well data and discussions

Discussion with many individuals including Bill Ellsworth, Steve Hickman, Emily Brodsky, Wayne Pennington, Chris Scholz, Mark Zoback, Austin Holland

OU School of Geology and Geophysics for financial support



#### THANK YOU

Friday sessions with further posters and talks on the Oklahoma sequence:

S51E/S53I/S54D: Understanding Recent and Historical Seismicity in the Central and Fastern U.S. I & II

Conveners: W. Ellsworth and G.R. Keller

S52D-01. P and S Travel Time Tomography Using a Dense Array of Portable Seismographs and Earthquake Sources in Central Oklahoma

Authors: C. Toth, A. Holland, G. R. Keller, and S. Holloway

